



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)



Bib Data Sheet

CONFIRMATION NO. 9059

SERIAL NUMBER 10/677,986	FILING DATE 10/02/2003  RULE	CLASS 073	GROUP ART UNIT 2855	ATTORNEY DOCKET NO. Kulite-92
-----------------------------	---------------------------------------	--------------	------------------------	-------------------------------------

## APPLICANTS

Anthony D. Kurtz, Ridgewood, NJ;

Wolf S. Landmann, Fair Lawn, NJ;

\*\* CONTINUING DATA ..... *NONE (w) 3/21/05*\*\* FOREIGN APPLICATIONS ..... *NONE (w) 3/21/05*

## IF REQUIRED, FOREIGN FILING LICENSE GRANTED \*\* SMALL ENTITY \*\*

\*\* 12/24/2003

Foreign Priority claimed	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	STATE OR	SHEETS	TOTAL	INDEPENDENT
35 USC 119 (a-d) conditions met	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after	COUNTRY	DRAWING	CLAIMS	CLAIMS
Verified and Acknowledged	<i>Maria Plevy (w)</i> Examiner's Signature <i>(initials)</i>	NJ	1	12	2

## ADDRESS

Plevy & Howard  
 600 North Easton Road  
 Willow Grove , PA  
 19090

## TITLE

Shunt calibration for electronic pressure switches

FILING FEE	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees ( Filing ) <input type="checkbox"/> 1.17 Fees ( Processing Ext. of time ) <input type="checkbox"/> 1.18 Fees ( Issue ) <input type="checkbox"/> Other
RECEIVED 385		